

IN THE CLAIMS:

Applicants respectfully request the cancellation and amendment of the claims as set forth below. (A version to show the changes made is provided herein.)

SVS
CB

1. A method for providing a topical cosmetic skin toner composition that may be spread on skin to hydrate and balance pH levels in said skin, said method comprising the steps for: *providing pure Morinda Citrifolia fruit juice, wherein said fruit juice includes Proxeronine; combining said fruit juice with a cosmetically suitable carrier agent to provide said topical cosmetic skin toner composition that may be spread on said skin to hydrate and balance pH levels in said skin; and using a quantity of Proxeronase to activate a release of Xeronine, said Xeronine capable of enhancing and improving cellular vitality in said skin.*

2. The method of claim 1, wherein said release of Xeronine occurs from one of: (i) said Proxeronase in said fruit juice; and (ii) Proxeronase present in said skin.

BN

3. (Cancelled previously)

4. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 10-15 percent by weight.

*Sub 1
Cont*

5. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 15-20 percent by weight.

6. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 20-25 percent by weight.

*By
Cont*
7. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 25-30 percent by weight.

*Sub D 1
cont*
8. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 30-35 percent by weight.

9. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 35-40 percent by weight.

10. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 40-45 percent by weight.

11. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 45-50 percent by weight.

12. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 50-55 percent by weight.

13. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 55-60 percent by weight.

14. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 60-65 percent by weight.

15. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 65-70 percent by weight.

16. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 70-75 percent by weight.

17. The method of claim 1, wherein said *Morinda citrifolia* fruit juice is present in said topical cosmetic skin toner composition in an amount between 75-80 percent by weight.

18. The method of claim 1, further comprising the step for combining water in said topical cosmetic skin toner composition, wherein said water is present in an amount between about 20-80 percent by weight.

19. The method of claim 1, further comprising the step for combining one or more additional ingredients into said topical cosmetic skin toner composition, wherein said one or more additional ingredients are selected from the group consisting of glycerin, alcohol denatured, butylene glycol, sodium chloride, dipotassium phosphate, sodium citrate, panthenol (pro-vitamin B5),

diazolidinyl urea, PPG-26-Buteth-26, benzophenone-4, citric acid, disodium EDTA, potassium phosphate, PEG-40 hydrogenated castor extract, capryloyl salicylic acid (beta-hydroxy acid), fragrance, PEG-115M, cabbage rose water, FD & C Red No. 4, and D&C Red No. 33.

20. The method of claim 1, further comprising the step for combining one or more additional ingredients into said topical cosmetic skin toner composition, wherein said one or more additional ingredients are selected from the group consisting of alcohol denatured, butylene glycol, glycerin, silica dimethyl silylate, zinc oxide, propylene glycol, PEG-60 hydrogenated castor extract, methylparaben, lactic acid, grapefruit extract, fragrance, menthoxypropanediol, hexylene glycol, and witch hazel.

*Sub 1
Cont*

21. The method of claim 1, further comprising the step for combining one or more additional ingredients into said topical cosmetic skin toner composition, wherein said one or more additional ingredients are selected from the group consisting of SD alcohol 40, witch hazel distillate, PEG-40, hydrogenated castor oil, fragrance, aloe vera gel, allantoin, methyl lactate, sorbitol, sodium lactate, proline, sodium PCA, hydrolyzed collagen, FD&C Blue No. 1, and FD&C Yellow No. 5.

22. The method of claim 1, further comprising the step for combining one or more additional ingredients into said topical cosmetic skin toner composition, wherein said one or more additional ingredients are selected from the group consisting of glycerin, PEG-8, PEG-40, hydrogenated castor oil, polyaminopropyl biguanide, panthenol, niacinamide, aloe barbadensis gel,

matricaria (Chamomilla Recutita) extract, propylene glycol, polyquaternium-10, ethoxydiglycol, fragrance, EDTA, sodium hydroxide, and methylparaben.

23. The method of claim 1, further comprising the step for combining one or more additional ingredients into said topical cosmetic skin toner composition, wherein said one or more additional ingredients are selected from the group consisting of SD alcohol 40-B, dipropylene glycol, witch hazel (Hamamelis Virginiana) distillate, hops (Humulus lupulus) extract, rosemary (Rosmarinus Officinalis) extract, swertia japonica extract, tocopheryl acetate (vitamin E Acetate), panthenol, aloe barbadensis extract, pyridoxine HCL, farnesol, salicylic acid, menthol, glycerin, fragrance, butylene glycol, and sodium hydroxide.

B2
SD
cont

24. The method of claim 1, further comprising the step for combining one or more additional ingredients into said topical cosmetic skin toner composition, wherein said one or more additional ingredients are selected from the group consisting of SD alcohol 40-B, witch hazel distillate, menthol, aloe barbadensis extract, glycerin, diglycerin, eucalyptus globulus oil, fragrance, butylene glycol, PG, Ext. Violet 2, and green 5.

*Sub
Q2*

*BAG
Cont*

25. A method for hydrating skin, said method comprising the steps for:
providing pure *Morinda citrifolia* fruit juice;
combining said pure fruit juice with a cosmetically suitable carrier agent to provide a topical cosmetic skin toner composition, wherein said pure fruit juice is present in an amount between about 10-80 percent by weight; and
providing said cosmetic skin toner composition to hydrate the skin.

26. A method for balancing pH levels in skin, said method comprising the steps for:
providing pure *Morinda citrifolia* fruit juice;
combining said pure fruit juice with a cosmetically suitable carrier to provide a topical cosmetic skin toner composition, wherein said pure fruit juice is present in an amount between about 10-80 percent by weight; and
providing said cosmetic skin toner composition to balance pH levels in the skin.

27. A method for balancing pH levels in skin, the method comprising the steps for:
providing pure *Morinda citrifolia* fruit juice;
providing a balancing agent;
combining said fruit juice and said balancing agent with a cosmetically suitable carrier to create a topical cosmetic skin toner composition; and
providing said composition to balance pH levels in the skin.

28. A method for hydrating skin, the method comprising the steps for:
(1) 2
~~200~~
~~00~~
~~00~~
~~00~~
providing pure *Morinda citrifolia* fruit juice;
providing a hydrating agent;
combining said fruit juice and said hydrating agent with a carrier agent to create a topical cosmetic hydrating skin toner composition; and
providing said composition to hydrate the skin.

29. (Cancel)